



Kayak[®]

syngenta[®]

GROUP 9 FUNGICIDE



An emulsifiable concentrate formulation containing 300 g/l cyprodinil.
For use against eyespot and powdery mildew on winter and spring barley.

FOR PROFESSIONAL USE ONLY

To avoid risks to human health and the environment comply with the instructions for use.

An emulsifiable concentrate formulation containing 300 g/l cyprodinil

Warning

May cause an allergic skin reaction.

Very toxic to aquatic life with long lasting effects.

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.


Wear protective gloves.

If skin irritation or rash occurs: Get medical advice/ attention.

Take off contaminated clothing and wash it before reuse.

Collect spillage.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty triple rinsed clean containers which can be disposed of as non-hazardous waste.



PCS No: 05476

UFI: XKX5-H0P0-C00U-86QA

Authorisation Holder

Syngenta UK Limited
Jealott's Hill International Research Centre,
Bracknell, Berkshire, RG42 6EY
Tel: +44 (0) 1223 883400



Marketing Company

Syngenta Ireland Ltd
Block 6, Cleaboy Business Park,
Old Kilmeadon Road, Waterford, Ireland
Tel: (051) 377203

IN CASE OF TOXIC OR TRANSPORT EMERGENCY RING +44 (0) 1484 538444 ANYTIME

PROTECT FROM FROST. STORE IN A COOL, DRY PLACE

5 litres

Product names marked ® or ™, the ALLIANCE FRAME 
the SYNGENTA Logo and the PURPOSE ICON 
are Trademarks of a Syngenta Group Company)

L1118709 IREL/04C PPE 4207011

CONDITIONS OF USE

FOR USE ONLY AS AN AGRICULTURAL FUNGICIDE

Crops	Maximum individual dose (litres/product/ha)	Maximum number of treatments	Latest time of application
Barley	1.5	2 per crop	Up to and including first awns visible stage (GS49)

SAFETY PRECAUTIONS**(a) Operator protection**

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE.

PROTECTIVE GLOVES when handling the concentrate.

WASH SPLASHES from skin and eye immediately.

WASH HANDS AND EXPOSED SKIN before eating, drinking or smoking and after work.

(b) Environmental protection

To protect aquatic organisms, respect an 5 metre unsprayed buffer zone distance to surface water bodies.

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

(c) Storage and disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

DO NOT RE-USE CONTAINER FOR ANY PURPOSE.

RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing 3 times. Add washings to sprayer at time of filling and dispose of safely.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be carefully read in order to obtain safe and successful use of this product.

KAYAK® is an emulsifiable concentrate formulation containing 300 g/l cyprodinil for use as a fungicide on winter and spring barley.

DISEASES CONTROLLED

Eyespot (*Pseudocercospora herpotrichoides*)

Powdery mildew (*Erysiphe graminis*)

CROP SPECIFIC INFORMATION

Crops

All varieties of winter and spring barley.

Timing

Treatment at early stages of disease development will ensure the best results. Further applications may be needed if disease attack is prolonged.

Eyespot : For best control of eyespot spray KAYAK before or during the period of stem extension in the spring (GS 30-32). Control of eyespot may be reduced when very dry conditions follow application.

Powdery Mildew: Application at first signs of disease is recommended.

For Powdery mildew control use early in the spray programme to make best use of the protectant activity. Use with an eradicant partner such as Corbel for established infections.

Rates of use

Apply 1.5 litres of product per hectare. With a maximum treatment of 3 litres product per hectare (2 treatments per crop).

The latest time of application for KAYAK is before first spikelet of inflorescence just visible stage.

MIXING AND SPRAYING

Make sure the sprayer is set to give an even application at the correct volume. In all cases add KAYAK to the spray tank first, followed by any additional products. Fill the spray tank with half the required volume of clean water and start agitation. Add the required amount of KAYAK to the spray tank. Agitate the mixture thoroughly before use and continue agitation during spraying. Thoroughly wash all spray equipment with water immediately after use.

Wash out containers thoroughly, preferably using an integrated pressure rinsing device, or manually rinse three times.

Add washings to the sprayer at the time of filling. Complete filling to the required volume and continue to agitate throughout the spraying operation.

Do not leave the spray liquid in the sprayer for long periods (such as during meal breaks or overnight).

Spray Application

Apply KAYAK in 200 litres of water per hectare using a tractor-mounted sprayer and a medium spray as defined by BCPC.

A spray pressure of 2-3 bars is recommended.

Thoroughly wash all spray equipment with water after use.

RESISTANCE MANAGEMENT

KAYAK contains the aniline-pyrimidine fungicide cyprodinil. To reduce the risk of diseases developing resistance to cyprodinil, KAYAK should be used as part of a resistance management strategy that includes fungicides with a different mode of action. For specific advice please refer to timing section in CROP SPECIFIC INFORMATION section above.

COMPATIBILITY

Kayak is compatible with Corbel. For further information on compatibilities contact Syngenta.

To access the Safety Data Sheet for this product, scan QR code:



Alternatively, contact your supplier

CONDITIONS OF USE

FOR USE ONLY AS AN AGRICULTURAL FUNGICIDE

Crops	Maximum individual dose (litres/product/ha)	Maximum number of treatments	Latest time of application
Barley	1.5	2 per crop	Up to and including first awns visible stage (GS49)

SAFETY PRECAUTIONS**(a) Operator protection**

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE.

PROTECTIVE GLOVES when handling the concentrate.

WASH SPLASHES from skin and eye immediately.

WASH HANDS AND EXPOSED SKIN before eating, drinking or smoking and after work.

(b) Environmental protection

To protect aquatic organisms, respect an 5 metre unsprayed buffer zone distance to surface water bodies.

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

(c) Storage and disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

DO NOT RE-USE CONTAINER FOR ANY PURPOSE.

RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing devise or manually rinsing 3 times. Add washings to sprayer at time of filling and dispose of safely.