

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : SONIS

Design code : A7725M

Product Registration Number : PCS 05993

Unique Formula Identifier (UFI) : RJU7-70UQ-S00T-QR1N

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Plant growth regulator

Recommended restrictions on use : professional use

1.3 Details of the supplier of the safety data sheet

Company : Syngenta Ireland Limited
Block 6 Cleaboy Business Park, Old Kilmeaden Road,
Waterford
Ireland

Telephone : (051) 377203

Telefax : -

E-mail address of person responsible for the SDS : cropsales.ie@syngenta.com

1.4 Emergency telephone number

Emergency telephone number : Syngenta +44 1484 538444
Poisons Information Centre of Ireland
Members of Public: +353 (1) 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)
Healthcare Professionals: +353 (1) 809 2566 (24-hour service)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS


Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

Skin sensitisation, Sub-category 1B
Specific target organ toxicity - repeated exposure, Category 2, Gastrointestinal tract
Long-term (chronic) aquatic hazard, Category 1

H317: May cause an allergic skin reaction.
H373: May cause damage to organs through prolonged or repeated exposure.
H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H373 May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements : EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements : **Prevention:**
P260 Do not breathe mist or vapours.
P280 Wear protective gloves.
Response:
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty triple rinsed clean containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

trinexapac-ethyl (ISO)

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
trinexapac-ethyl (ISO)	95266-40-3 607-752-00-4	Skin Sens. 1B; H317 STOT RE 2; H373 (Gastrointestinal tract) Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 1	>= 25 - < 30
2-[2-(2-[2-(11-methyldodecyloxy)-ethoxy]-ethoxy)-ethoxy]-ethoxy]-ethanol	78330-21-9	Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 20 - < 25
toluene	108-88-3 203-625-9 601-021-00-3 01-2119471310-51-xxxx	Flam. Liq. 2; H225 Skin Irrit. 2; H315 Repr. 2; H361d STOT SE 3; H336 (Central nervous system) STOT RE 2; H373 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 3; H412	>= 0.1 - < 0.25

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Aspiration may cause pulmonary oedema and pneumonitis.
- Risks : May cause an allergic skin reaction.
May cause damage to organs through prolonged or repeated exposure.
Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.
Treat symptomatically.
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
Flash back possible over considerable distance.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.
Keep people away from and upwind of spill/leak.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Remove all sources of ignition.
Pay attention to flashback.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
Use only in an area containing flame proof equipment.
Take precautionary measures against static discharges.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from combustible material. Keep in an area equipped with sprinklers. Keep away from food, drink and animal feed-ingstuffs. No smoking.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
trinexapac-ethyl (ISO)	95266-40-3	TWA	5 mg/m ³	Syngenta
toluene	108-88-3	TWA	50 ppm 192 mg/m ³	2006/15/EC
		Further information: Indicative, Identifies the possibility of significant uptake through the skin		
		STEL	100 ppm 384 mg/m ³	2006/15/EC
		Further information: Indicative, Identifies the possibility of significant uptake through the skin		
		OELV - 8 hrs (TWA)	50 ppm 192 mg/m ³	IE OEL
		Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body		
		OELV - 15 min (STEL)	100 ppm 384 mg/m ³	IE OEL
		Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version 15.2 Revision Date: 10.11.2025 SDS Number: S2469417827 Date of last issue: 17.09.2025
Date of first issue: 24.01.2018

Substance name	End Use	Exposure routes	Potential health effects	Value
fatty acids, C8-10, Me esters	Workers	Dermal	Long-term systemic effects	103.6 mg/kg
	Workers	Inhalation	Long-term systemic effects	73.6 mg/m ³
	Consumers	Oral	Long-term systemic effects	3.7 mg/kg
	Consumers	Dermal	Long-term systemic effects	51.8 mg/kg
	Consumers	Inhalation	Long-term systemic effects	12.86 mg/m ³
castor oil, ethoxylated	Workers	Inhalation	Long-term systemic effects	16.4 mg/m ³
	Workers	Dermal	Long-term systemic effects	4.67 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2.9 mg/m ³
	Consumers	Dermal	Long-term systemic effects	1.67 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	1.67 mg/kg bw/day
toluene	Workers	Inhalation	Long-term systemic effects	192 mg/m ³
	Workers	Dermal	Long-term systemic effects	384 mg/kg
	Workers	Inhalation	Acute local effects	384 mg/m ³
	Workers	Inhalation	Acute systemic effects	384 mg/m ³
	Workers	Inhalation	Long-term local effects	192 mg/m ³
	Consumers	Oral	Long-term systemic effects	8.13 mg/kg
	Consumers	Dermal	Long-term systemic effects	226 mg/kg
	Consumers	Inhalation	Acute systemic effects	226 mg/m ³
	Consumers	Inhalation	Acute local effects	226 mg/m ³
	Consumers	Inhalation	Long-term local effects	56.5 mg/m ³
Consumers	Inhalation	Long-term systemic effects	56.5 mg/m ³	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
fatty acids, C8-10, Me esters	Fresh water	0.0011 mg/l
	Fresh water sediment	0.0265 mg/kg
	Marine water	0.00011 mg/l
	Marine sediment	0.00265 mg/kg
	Sewage treatment plant	3.92 mg/l
	Soil	0.00871 mg/kg
castor oil, ethoxylated	Fresh water sediment	0.0129 mg/kg dry weight (d.w.)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version 15.2 Revision Date: 10.11.2025 SDS Number: S2469417827 Date of last issue: 17.09.2025
Date of first issue: 24.01.2018

	Marine sediment	0.00129 mg/kg dry weight (d.w.)
	Soil	0.00258 mg/kg dry weight (d.w.)
toluene	Fresh water	0.68 mg/l
	Marine sediment	16.39 mg/kg
	Sewage treatment plant	13.61 mg/l
	Freshwater - intermittent	0.68 mg/l
	Marine water	0.68 mg/l
	Fresh water sediment	16.39 mg/kg
	Soil	2.89 mg/kg

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye/face protection : No special protective equipment required.

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

Environmental exposure controls

Water :
Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : brown orange

Odour : unpleasant

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flammability : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : 80 °C
Method: Pensky-Martens closed cup

Auto-ignition temperature : 250 °C

Decomposition temperature : No data available

pH : 2 - 6
Concentration: 1 %w/v

Viscosity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

Viscosity, dynamic : 10.01 mPa,s (20 °C)
5.45 mPa,s (40 °C)

Viscosity, kinematic : No data available

Solubility(ies)
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Density : 0.96 - 1.00 g/cm³ (20 °C)

Relative vapour density : No data available

Particle characteristics
Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Miscibility with water : Miscible

Surface tension : 28.2 - 28.5 mN/m, 7.500 g/l, 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.51 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Components:

trinexapac-ethyl (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 4,460 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.69 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy)-ethoxy]-ethoxy]-ethanol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat, female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

toluene:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

Acute oral toxicity : LD50 (Rat, male): 5,580 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 25.7 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male): > 5,000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Species : Rabbit
Result : Repeated exposure may cause skin dryness or cracking.

Components:

trinexapac-ethyl (ISO):

Species : Rabbit
Result : No skin irritation

toluene:

Species : Rabbit
Result : Irritating to skin.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation

Components:

trinexapac-ethyl (ISO):

Species : Rabbit
Result : No eye irritation

2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy]-ethoxy)-ethoxy]-ethanol:

Species : Rabbit
Result : Risk of serious damage to eyes.

toluene:

Species : Rabbit
Result : No eye irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Species : Guinea pig
Result : The product is a skin sensitiser, sub-category 1B.

Components:

trinexapac-ethyl (ISO):

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : Does not cause skin sensitisation.

toluene:

Species : Guinea pig
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

trinexapac-ethyl (ISO):

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

toluene:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Not classified due to lack of data.

Components:

trinexapac-ethyl (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

toluene:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Not classified due to lack of data.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

Components:

trinexapac-ethyl (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

toluene:

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified due to lack of data.

Components:

trinexapac-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

toluene:

Exposure routes : Inhalation
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT - repeated exposure

May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure.

Components:

trinexapac-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

toluene:

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Aspiration toxicity

Not classified due to lack of data.

Components:

toluene:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified due to lack of data.

Product:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

trinexapac-ethyl (ISO):

Assessment : Substance does not have endocrine disrupting properties.
Remarks : Weight of Evidence

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna Straus): 2.9 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Anabaena flos-aquae (cyanobacterium)): 8.3 mg/l
Exposure time: 96 h

ErC50 (Lemna gibba (gibbous duckweed)): 55 mg/l
Exposure time: 7 d

NOEC (Anabaena flos-aquae (cyanobacterium)): 8.0 mg/l
End point: Growth rate
Exposure time: 96 h

NOEC (Lemna gibba (gibbous duckweed)): 8.0 mg/l
End point: Frond growth
Exposure time: 7 d

Components:

trinexapac-ethyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 68 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Americamysis): 6.5 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 24.5 mg/l
Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 13.39 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

End point: Growth rate
Exposure time: 72 h

ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 1.2 mg/l
Exposure time: 14 d

EC10 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.011 mg/l
End point: Growth rate
Exposure time: 14 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : EC10: 1.37 mg/l
Exposure time: 35 d
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 2.4 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy)-ethoxy]-ethoxy]-ethanol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l
Exposure time: 96 h

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

toluene:

Toxicity to fish : LC50 (Oncorhynchus kisutch (coho salmon)): 5.5 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 3.78 mg/l
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC: 1.39 mg/l
Exposure time: 40 d
Species: Oncorhynchus kisutch (coho salmon)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.74 mg/l
Exposure time: 7 d
Species: Ceriodaphnia dubia (Water flea)

12.2 Persistence and degradability

Components:

trinexapac-ethyl (ISO):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 3.9 - 5.5 d
Remarks: Product is not persistent.

2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy)-ethoxy]-ethoxy]-ethanol:

Biodegradability : Result: Biodegradable

toluene:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

trinexapac-ethyl (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

toluene:

Bioaccumulation : Remarks: Does not bioaccumulate.

12.4 Mobility in soil

Components:

trinexapac-ethyl (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: < 0.2 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

trinexapac-ethyl (ISO):

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Substance is not very persistent and very bioaccumulative (vPvB).
Remarks: Weight of Evidence

2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy)-ethoxy]-ethoxy]-ethanol:

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

Substance is not very persistent and very bioaccumulative (vPvB).

toluene:

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Substance is not very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

trinexapac-ethyl (ISO):

Assessment : Substance does not have endocrine disrupting properties.
Remarks : Weight of Evidence

12.7 Other adverse effects

Components:

trinexapac-ethyl (ISO):

Assessment : Substance is not persistent, mobile, and toxic (PMT).
Substance is not very persistent and very mobile (vPvM).
Remarks: Weight of Evidence

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

Waste Code : uncleaned packagings
15 01 10, packaging containing residues of or contaminated
by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(TRINEXAPAC-ETHYL)
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(TRINEXAPAC-ETHYL)
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(TRINEXAPAC-ETHYL)
IATA : Environmentally hazardous substance, liquid, n.o.s.
(TRINEXAPAC-ETHYL)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)
Remarks : This product can be subject to exemptions when packaged in
single or combination packagings containing a net quantity per
single or inner packaging of 5 L or less for liquids, or having a
net mass of 5 kg or less for solids.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3

Number on list 48: toluene

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)
Not applicable

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

risks related to chemical agents at work.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H336	: May cause drowsiness or dizziness.
H361d	: Suspected of damaging the unborn child.
H373	: May cause damage to organs through prolonged or repeated exposure.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Flam. Liq.	: Flammable liquids
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
2006/15/EC	: Europe. Indicative occupational exposure limit values
IE OEL	: Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
Syngenta	: Syngenta Occupational Exposure Limit
2006/15/EC / TWA	: Limit Value - eight hours
2006/15/EC / STEL	: Short term exposure limit
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min (STEL)	: Occupational exposure limit value (15-minute reference period)
Syngenta / TWA	: Time weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SONIS

Version	Revision Date:	SDS Number:	Date of last issue: 17.09.2025
15.2	10.11.2025	S2469417827	Date of first issue: 24.01.2018

cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Sens. 1B	H317
STOT RE 2	H373
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / 6N