

KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : KAVATUR PLUS
Design code : A15457H
Unique Formula Identifier (UFI) : TEP3-00RP-400H-U9MM

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fungicide
Recommended restrictions on use : professional use

1.3 Details of the supplier of the safety data sheet

Company : Syngenta Ireland Limited
Block 6 Cleaboy Business Park, Old Kilmeaden Road,
Waterford
Ireland
Telephone : (051) 377203
Telefax : (051) 354748
E-mail address of person responsible for the SDS : cropsales.ie@syngenta.com

1.4 Emergency telephone number

Emergency telephone number : Syngenta +44 1484 538444
Poisons Information Centre of Ireland
Members of Public: +353 (1) 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)
Healthcare Professionals: +353 (1) 809 2566 (24-hour service)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

| | |
|--------------------------------|--|
| Acute toxicity, Category 4 | H302: Harmful if swallowed. |
| Acute toxicity, Category 4 | H332: Harmful if inhaled. |
| Serious eye damage, Category 1 | H318: Causes serious eye damage. |
| Skin sensitisation, Category 1 | H317: May cause an allergic skin reaction. |

KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

Specific target organ toxicity - single exposure, Category 3, Respiratory system

H335: May cause respiratory irritation.

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 + H332 Harmful if swallowed or if inhaled.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty triple rinsed clean containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy-benzovindiflupyr (ISO)

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



KAVATUR PLUS

Version
1.0

Revision Date:
15.02.2022

SDS Number:
S00031536740

This version replaces all previous versions.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|---|---|--|--------------------------|
| mixture of octanoic acid- decanoic acid- N,N-dimethylamide | 1118-92-9 214-272-5 01-2119974115-37 | Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) | >= 20 - < 30 |
| hydrocarbons, C10-C13, aromatics, <1% naphthalene | Not Assigned 922-153-0 01-2119451097-39 | Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066 | >= 20 - < 25 |
| poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy- | 9004-98-2 500-016-2 | Acute Tox. 4; H302 Eye Dam. 1; H318 | >= 20 - < 30 |
| benzovindiflupyr (ISO) | 1072957-71-1 616-218-00-X | Acute Tox. 3; H301 Acute Tox. 3; H331 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 | >= 10 - < 20 |
| poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy- | 99734-09-5 | Aquatic Chronic 3; H412 | >= 1 - < 2.5 |
| naphthalene | 91-20-3 202-049-5 601-052-00-2 | Flam. Sol. 2; H228 Acute Tox. 4; H302 Carc. 2; H351 Aquatic Acute 1; | >= 0.1 - < 0.25 |

KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

| | | | |
|--|-----------|------------------------------------|-------------|
| | | H400 Aquatic Chronic 1; H410 | |
| Substances with a workplace exposure limit : | | | |
| cellulose, ethyl ether | 9004-57-3 | | >= 1 - < 10 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Aspiration may cause pulmonary oedema and pneumonitis.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.
Treat symptomatically.
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|---|--------------|-------------------------------|--------------------------------|------------|
| hydrocarbons, C10-C13, aromatics, <1% naphthalene | Not Assigned | TWA | 8 ppm 50 mg/m ³ | Supplier |
| benzovindiflupyr (ISO) | 1072957-71-1 | TWA | 1 mg/m ³ | Syngenta |
| cellulose, ethyl ether | 9004-57-3 | TWA | 10 mg/m ³ | Supplier |
| naphthalene | 91-20-3 | TWA | 10 ppm 50 mg/m ³ | 91/322/EEC |
| Further information: Indicative | | | | |
| | | OELV - 8 hrs (TWA) | 10 ppm 50 mg/m ³ | IE OEL |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|------------------------|---------|-----------------|----------------------------|-------------------------|
| benzovindiflupyr (ISO) | Workers | Inhalation | Long-term systemic effects | 0.478 mg/m ³ |
| | Workers | Inhalation | Acute systemic effects | 1.13 mg/m ³ |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



KAVATUR PLUS

Version
1.0

Revision Date:
15.02.2022

SDS Number:
S00031536740

This version replaces all previous versions.

| | | | | |
|---|-----------|------------|----------------------------|--------------------------|
| | Workers | Dermal | Long-term systemic effects | 3.33 mg/kg |
| | Consumers | Inhalation | Long-term systemic effects | 0.119 mg/m ³ |
| | Consumers | Dermal | Long-term systemic effects | 1.67 mg/kg |
| | Consumers | Oral | Long-term systemic effects | 0.049 mg/kg |
| mixture of octanoic acid- decanoic acid- N,N-dimethylamide | Workers | Inhalation | Long-term systemic effects | 166.67 mg/m ³ |
| | Workers | Dermal | Long-term systemic effects | 23.81 mg/kg |
| | Consumers | Inhalation | Long-term systemic effects | 50 mg/m ³ |
| | Consumers | Dermal | Long-term systemic effects | 14.29 mg/kg |
| | Consumers | Oral | Long-term systemic effects | 14.29 mg/kg |
| poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy- | Workers | Inhalation | Long-term systemic effects | 294 mg/m ³ |
| | Workers | Dermal | Long-term systemic effects | 2080 mg/kg |
| | Consumers | Inhalation | Long-term systemic effects | 87 mg/m ³ |
| | Consumers | Dermal | Long-term systemic effects | 1250 mg/kg |
| | Consumers | Oral | Long-term systemic effects | 25 mg/kg |
| hydrocarbons, C10-C13, aromatics, <1% naphthalene | Workers | Inhalation | Long-term systemic effects | 151 mg/m ³ |
| | Workers | Dermal | Long-term systemic effects | 12.5 mg/kg |
| | Consumers | Inhalation | Long-term systemic effects | 32 mg/m ³ |
| | Consumers | Dermal | Long-term systemic effects | 7.5 mg/kg |
| | Consumers | Oral | Long-term systemic effects | 7.5 mg/kg |
| naphthalene | Workers | Inhalation | Long-term systemic effects | 25 mg/m ³ |
| | Workers | Inhalation | Long-term local effects | 25 mg/m ³ |
| | Workers | Dermal | Long-term systemic effects | 3.57 mg/kg |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|------------------------|---------------------------|---------------|
| benzovindiflupyr (ISO) | Fresh water | 0.000095 mg/l |
| | Secondary poisoning | 2 mg/kg |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



KAVATUR PLUS

Version
1.0

Revision Date:
15.02.2022

SDS Number:
S00031536740

This version replaces all previous versions.

| | | |
|---|---------------------------|---------------|
| | Soil | 0.041 mg/kg |
| | Marine water | 0.000009 mg/l |
| | Fresh water sediment | 0.053 mg/kg |
| | Sewage treatment plant | 100 mg/l |
| | Marine sediment | 0.005 mg/kg |
| mixture of octanoic acid-decanoic acid- N,N-dimethylamide | Fresh water | 0.026 mg/l |
| | Marine water | 0.0026 mg/l |
| | Intermittent use/release | 0.077 mg/l |
| | Sewage treatment plant | 2.12 mg/l |
| | Fresh water sediment | 0.318 mg/kg |
| | Marine sediment | 0.0318 mg/kg |
| | Soil | 5.23 mg/kg |
| poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy- | Fresh water | 0.002 mg/l |
| | Marine water | 0.002 mg/l |
| | Sewage treatment plant | 10 mg/l |
| | Fresh water sediment | 86.9 mg/kg |
| | Marine sediment | 86.9 mg/kg |
| | Soil | 1 mg/kg |
| | Freshwater - intermittent | 0.1 mg/l |
| naphthalene | Fresh water | 0.0024 mg/l |
| | Marine water | 0.0024 mg/l |
| | Sewage treatment plant | 2.9 mg/l |
| | Fresh water sediment | 0.0672 mg/kg |
| | Marine sediment | 0.0672 mg/kg |
| | Soil | 0.0533 mg/kg |

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Tightly fitting safety goggles
Face-shield
Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm

KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

- Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing
- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Suitable respiratory equipment:
Respirator with a particle filter (EN 143)
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
- Filter type : Particulates type (P)
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

Environmental exposure controls

- Water : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state : clear to slightly turbid
- Colour : amber to light brown

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



KAVATUR PLUS

Version
1.0

Revision Date:
15.02.2022

SDS Number:
S00031536740

This version replaces all previous versions.

| | | |
|--|---|---|
| Odour | : | No data available |
| Odour Threshold | : | No data available |
| Melting point/range | : | No data available |
| Boiling point/boiling range | : | No data available |
| Flammability | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Flash point | : | 101 °C Method: Pensky-Martens closed cup |
| Auto-ignition temperature | : | 365 °C |
| Decomposition temperature | : | No data available |
| pH | : | 4 - 8 Concentration: 1 % w/v |
| Viscosity | | |
| Viscosity, dynamic | : | 24.6 mPa.s (40 °C) 70.7 mPa.s (20 °C) |
| Viscosity, kinematic | : | >= 22.0 mm ² /s (40 °C) |
| Solubility(ies) | | |
| Water solubility | : | No data available |
| Solubility in other solvents | : | No data available |
| Partition coefficient: n-octanol/water | : | No data available |
| Density | : | 0.978 g/cm ³ (25 °C) |
| Relative vapour density | : | No data available |
| Particle characteristics | | |
| Particle size | : | No data available |

9.2 Other information

| | | |
|----------------------|---|--|
| Explosives | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |

KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

Evaporation rate : No data available
Surface tension : 31.3 mN/m, 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): 1,086 mg/kg
Acute inhalation toxicity : LC50 (Rat, male and female): > 2.54 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.
Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

Components:

poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy-:

Acute oral toxicity : LD50 (Mouse): Assessment: The component/mixture is moderately toxic after single ingestion.

benzovindiflupyr (ISO):

Acute oral toxicity : LD50 (Rat, female): 55 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.56 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

Acute oral toxicity : LD50 Oral (Rat): 5,000 mg/kg

naphthalene:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Skin corrosion/irritation

Product:

Species : Rabbit
Result : No skin irritation

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Species : Rabbit
Result : Irritating to skin.

hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Result : Repeated exposure may cause skin dryness or cracking.

benzovindiflupyr (ISO):

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit
Result : Irreversible effects on the eye

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Species : Rabbit
Result : Risk of serious damage to eyes.

poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy-:

Species : Rabbit
Result : Risk of serious damage to eyes.

benzovindiflupyr (ISO):

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation

Product:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : May cause sensitisation by skin contact.

Components:

benzovindiflupyr (ISO):

Test Type : mouse lymphoma cells
Species : Mouse
Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

benzovindiflupyr (ISO):

Germ cell mutagenicity-
Assessment : Animal testing did not show any mutagenic effects.

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

Germ cell mutagenicity-
Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

Components:

benzovindiflupyr (ISO):

Carcinogenicity -
Assessment : Weight of evidence does not support classification as a carcinogen, This substance has been reported to cause tumours in certain animal species., There is no evidence that these findings are relevant to humans.

KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

naphthalene:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

cellulose, ethyl ether:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

benzovindiflupyr (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - single exposure

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

benzovindiflupyr (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Components:

benzovindiflupyr (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

benzovindiflupyr (ISO):

Remarks : No adverse effect has been observed in chronic toxicity tests.

Aspiration toxicity

Components:

hydrocarbons, C10-C13, aromatics, <1% naphthalene:

May be fatal if swallowed and enters airways.

KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.068 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.27 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2.7 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.46 mg/l
End point: Growth rate
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 1.4 mg/l
End point: Growth rate
Exposure time: 72 h

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 14.8 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 7.7 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 16.06 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



KAVATUR PLUS

Version
1.0

Revision Date:
15.02.2022

SDS Number:
S00031536740

This version replaces all previous versions.

hydrocarbons, C10-C13, aromatics, <1% naphthalene:

- Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l
Exposure time: 96 h
Remarks: Information given is based on data obtained from similar substances.
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.1 mg/l
Exposure time: 48 h
Remarks: Information given is based on data obtained from similar substances.
- Toxicity to algae/aquatic plants : EL50 (Raphidocelis subcapitata (freshwater green alga)): 7.9 mg/l
End point: Growth rate
Exposure time: 72 h
Remarks: Information given is based on data obtained from similar substances.
- NOELR (Raphidocelis subcapitata (freshwater green alga)): 0.22 mg/l
End point: Growth rate
Exposure time: 72 h
Remarks: Information given is based on data obtained from similar substances.

Ecotoxicology Assessment

- Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

benzovindiflupyr (ISO):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0091 mg/l
Exposure time: 96 h
- LC50 (Cyprinus carpio (Carp)): 0.0035 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0.056 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 0.89 mg/l
Exposure time: 96 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.42 mg/l
End point: Growth rate
Exposure time: 96 h
- ErC50 (Skeletonema costatum (marine diatom)): 0.55 mg/l
Exposure time: 72 h
- NOEC (Skeletonema costatum (marine diatom)): 0.4 mg/l
End point: Growth rate

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

| | |
|--|---|
| | Exposure time: 72 h |
| M-Factor (Acute aquatic toxicity) | : 100 |
| Toxicity to microorganisms | : EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h |
| Toxicity to fish (Chronic toxicity) | : NOEC: 0.00095 mg/l Exposure time: 32 d Species: Pimephales promelas (fathead minnow) Test Type: Early-life Stage |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC: 0.0074 mg/l Exposure time: 28 d Species: Americamysis |
| | EC10: 0.012 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) |
| M-Factor (Chronic aquatic toxicity) | : 100 |
| poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy- | |
| Toxicity to fish | : LC50 (Danio rerio (zebra fish)): 21 mg/l Exposure time: 96 h |

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

naphthalene:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Biodegradability : Result: Readily biodegradable.

Stability in water : Remarks: Product is not persistent.

hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Biodegradability : Result: Readily biodegradable.

KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

benzovindiflupyr (ISO):

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Components:

benzovindiflupyr (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.3 (25 °C)

12.4 Mobility in soil

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Stability in soil : Remarks: Product is not persistent.

benzovindiflupyr (ISO):

Distribution among environmental compartments : Remarks: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

benzovindiflupyr (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

naphthalene:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

Waste Code : uncleaned packagings
15 01 10, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZOINDIFLUPYR)
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZOINDIFLUPYR)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZOINDIFLUPYR)

IATA : Environmentally hazardous substance, liquid, n.o.s. (BENZOINDIFLUPYR)

14.3 Transport hazard class(es)

ADR : 9

RID : 9

IMDG : 9

IATA : 9

14.4 Packing group

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG
Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)
Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)
Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADR
Environmentally hazardous : yes

RID
Environmentally hazardous : yes

IMDG

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3
xylene

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : naphthalene

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

| E1 | ENVIRONMENTAL HAZARDS | Quantity 1 100 t | Quantity 2 200 t |
|----|-----------------------|---------------------|---------------------|
|----|-----------------------|---------------------|---------------------|

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Use plant protection products safely. Always read the label and product information before use. Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

| | |
|--------|---|
| H228 | : Flammable solid. |
| H301 | : Toxic if swallowed. |
| H302 | : Harmful if swallowed. |
| H304 | : May be fatal if swallowed and enters airways. |
| H315 | : Causes skin irritation. |
| H318 | : Causes serious eye damage. |
| H331 | : Toxic if inhaled. |
| H335 | : May cause respiratory irritation. |
| H351 | : Suspected of causing cancer. |
| H400 | : Very toxic to aquatic life. |
| H410 | : Very toxic to aquatic life with long lasting effects. |
| H411 | : Toxic to aquatic life with long lasting effects. |
| H412 | : Harmful to aquatic life with long lasting effects. |
| EUH066 | : Repeated exposure may cause skin dryness or cracking. |

Full text of other abbreviations

| | |
|-----------------------------|--|
| Acute Tox. | : Acute toxicity |
| Aquatic Acute | : Short-term (acute) aquatic hazard |
| Aquatic Chronic | : Long-term (chronic) aquatic hazard |
| Asp. Tox. | : Aspiration hazard |
| Carc. | : Carcinogenicity |
| Eye Dam. | : Serious eye damage |
| Flam. Sol. | : Flammable solids |
| Skin Irrit. | : Skin irritation |
| STOT SE | : Specific target organ toxicity - single exposure |
| 91/322/EEC | : Europe. Commission Directive 91/322/EEC on establishing indicative limit values |
| IE OEL | : Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1 |
| 91/322/EEC / TWA | : Limit Value - eight hours |
| IE OEL / OELV - 8 hrs (TWA) | : Occupational exposure limit value (8-hour reference period) |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



KAVATUR PLUS

Version 1.0 Revision Date: 15.02.2022 SDS Number: S00031536740 This version replaces all previous versions.

Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

| | |
|-------------------|------|
| Acute Tox. 4 | H302 |
| Acute Tox. 4 | H332 |
| Eye Dam. 1 | H318 |
| Skin Sens. 1 | H317 |
| STOT SE 3 | H335 |
| Aquatic Acute 1 | H400 |
| Aquatic Chronic 1 | H410 |

Classification procedure:

| |
|-------------------------------------|
| Based on product data or assessment |
| Based on product data or assessment |
| Based on product data or assessment |
| Based on product data or assessment |
| Calculation method |
| Based on product data or assessment |
| Calculation method |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN