

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MODDUS
Design code : A7725M
Product Registration Number : PCS 03849
Unique Formula Identifier (UFI) : RVYK-238G-D00G-S06W

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Plant growth regulator
Recommended restrictions on use : professional use

1.3 Details of the supplier of the safety data sheet

Company : Syngenta Ireland Limited
Block 6 Cleaboy Business Park, Old Kilmeaden Road,
Waterford
Ireland
Telephone : (051) 377203
Telefax : (051) 354748
E-mail address of person responsible for the SDS : cropsales.ie@syngenta.com

1.4 Emergency telephone number

Emergency telephone number : Syngenta +44 1484 538444
Poisons Information Centre of Ireland
Members of Public: +353 (1) 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)
Healthcare Professionals: +353 (1) 809 2566 (24-hour service)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.
|| Specific target organ toxicity - repeated H373: May cause damage to organs through

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



MODDUS


Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

|| exposure, Category 2, Gastrointestinal tract prolonged or repeated exposure.

Long-term (chronic) aquatic hazard, Category 1 H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.
H373 May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure.

Supplemental Hazard Statements : EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements : P102 Keep out of reach of children.

Prevention:
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P280 Wear protective gloves/ protective clothing.

Response:
P314 Get medical advice/ attention if you feel unwell.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Disposal:
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty triple rinsed clean containers which can be disposed of as non-hazardous waste.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
trinexapac-ethyl (ISO)	95266-40-3 607-752-00-4	Skin Sens. 1B; H317 STOT RE 2; H373 (Gastrointestinal tract) Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 1	>= 25 - < 30
poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-	9043-30-5 500-027-2	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 20 - < 25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.

MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

- Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Nonspecific
No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.
Treat symptomatically.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
Flash back possible over considerable distance.

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.
Keep people away from and upwind of spill/leak.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Remove all sources of ignition.
Pay attention to flashback.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
Use only in an area containing flame proof equipment.
Take precautionary measures against static discharges.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from combustible material. Keep in an area equipped with sprinklers. Keep away from food, drink and animal feedingstuffs. No smoking.

Further information on storage stability : Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
trinexapac-ethyl (ISO)	95266-40-3	TWA	5 mg/m ³	Syngenta

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
fatty acids, C8-10, Me esters	Workers	Dermal	Long-term systemic effects	103.6 mg/kg
	Workers	Inhalation	Long-term systemic effects	73.6 mg/m ³
	Consumers	Oral	Long-term systemic effects	3.7 mg/kg
	Consumers	Dermal	Long-term systemic effects	51.8 mg/kg
castor oil, ethoxylated	Consumers	Inhalation	Long-term systemic effects	12.86 mg/m ³
	Workers	Inhalation	Long-term systemic effects	16.4 mg/m ³
	Workers	Dermal	Long-term systemic effects	4.67 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2.9 mg/m ³
	Consumers	Dermal	Long-term systemic effects	1.67 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	1.67 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
fatty acids, C8-10, Me esters	Fresh water	0.0011 mg/l
	Fresh water sediment	0.0265 mg/kg
	Marine water	0.00011 mg/l
	Marine sediment	0.00265 mg/kg
	Sewage treatment plant	3.92 mg/l
castor oil, ethoxylated	Soil	0.00871 mg/kg
	Fresh water sediment	0.0129 mg/kg dry weight (d.w.)
	Marine sediment	0.00129 mg/kg dry weight (d.w.)
	Soil	0.00258 mg/kg dry weight (d.w.)

MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection : No special protective equipment required.
Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:

Respiratory protection : Impervious clothing
: No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

Environmental exposure controls

Water :
Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : brown orange

Odour : unpleasant
Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : 80 °C
Method: Pensky-Martens closed cup

Auto-ignition temperature : 250 °C

Decomposition temperature : No data available

pH : 2 - 6
Concentration: 1 % w/v

Viscosity
Viscosity, dynamic : 10.01 mPa.s (20 °C)
5.45 mPa.s (40 °C)

Viscosity, kinematic : No data available

Solubility(ies)
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Density : 0.96 - 1.00 g/cm³ (20 °C)

MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

Relative vapour density : No data available

Particle characteristics
Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Miscibility with water : Miscible

Surface tension : 28.2 - 28.5 mN/m, 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure :
Ingestion
Inhalation
Skin contact
Eye contact

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

Acute toxicity

Product:

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.51 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Components:

trinexapac-ethyl (ISO):

- Acute oral toxicity : LD50 (Rat, male and female): 4,460 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.69 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:

- Acute oral toxicity : LD50 (Rat): 1,940 mg/kg

Skin corrosion/irritation

Product:

- Species : Rabbit
Result : No skin irritation
- Species : Rabbit
Result : Repeated exposure may cause skin dryness or cracking.

Components:

trinexapac-ethyl (ISO):

- Species : Rabbit
Result : No skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

Serious eye damage/eye irritation

Product:

Species : Rabbit
Result : No eye irritation

Components:

trinexapac-ethyl (ISO):

Species : Rabbit
Result : No eye irritation

poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Product:

Species : Guinea pig
Result : May cause sensitisation by skin contact.

Components:

trinexapac-ethyl (ISO):

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

trinexapac-ethyl (ISO):

Germ cell mutagenicity-Assessment : Animal testing did not show any mutagenic effects.

poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:

Germ cell mutagenicity-Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

Components:

trinexapac-ethyl (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

Reproductive toxicity

Components:

trinexapac-ethyl (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - repeated exposure

Components:

trinexapac-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna Straus): 2.9 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Anabaena flos-aquae (cyanobacterium)): 8.3 mg/l
Exposure time: 96 h

ErC50 (Lemna gibba (gibbous duckweed)): 55 mg/l
Exposure time: 7 d

NOEC (Anabaena flos-aquae (cyanobacterium)): 8.0 mg/l
End point: Growth rate
Exposure time: 96 h

NOEC (Lemna gibba (gibbous duckweed)): 8.0 mg/l
End point: Frond growth
Exposure time: 7 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

Components:

trinexapac-ethyl (ISO):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 68 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Americamysis): 6.5 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 24.5 mg/l
Exposure time: 96 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 8.0 mg/l
End point: Growth rate
Exposure time: 96 h
- ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 1.2 mg/l
Exposure time: 14 d
- EC10 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.011 mg/l
End point: Growth rate
Exposure time: 14 d
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
- Toxicity to fish (Chronic toxicity) : NOEC: 0.41 mg/l
Exposure time: 35 d
Species: Pimephales promelas (fathead minnow)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 2.4 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
- M-Factor (Chronic aquatic toxicity) : 1

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5 - 10 mg/l
Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

trinexapac-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 3.9 - 5.5 d
Remarks: Product is not persistent.

12.3 Bioaccumulative potential

Components:

trinexapac-ethyl (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -2.1 (25 °C)
log Pow: -0.29 (25 °C)
log Pow: 1.5 (25 °C)

12.4 Mobility in soil

Components:

trinexapac-ethyl (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils
Stability in soil : Dissipation time: < 0.2 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

trinexapac-ethyl (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

Waste Code : uncleaned packagings
15 01 10, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL)
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL)

IATA : Environmentally hazardous substance, liquid, n.o.s. (TRINEXAPAC-ETHYL)

14.3 Transport hazard class(es)

ADR : 9

RID : 9

IMDG : 9

IATA : 9

14.4 Packing group

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H373 : May cause damage to organs through prolonged or repeated exposure.
H410 : Very toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Skin Sens. : Skin sensitisation
STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

MODDUS

Version 15.0 Revision Date: 14.03.2022 SDS Number: S1233851 This version replaces all previous versions.

Further information

Classification of the mixture:

Skin Sens. 1 H317

STOT RE 2 **H373**

Aquatic Chronic 1 H410

Classification procedure:

Based on product data or assessment

Calculation method

Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN