

Maxim[®] 100FS

syngenta[®]

GROUP 12 FUNGICIDE



MAXIM[®] 100 FS is a flowable concentrate for seed treatment containing 100 g/litre fludioxonil.

For the control of seed borne *Rhizoctonia solani* (stem canker / black scurf) in potatoes grown from treated seed tubers.

FOR PROFESSIONAL USE ONLY

To avoid risks to human health and the environment, comply with the instructions for use.


MAXIM 100 FS is a flowable concentrate for seed treatment containing 100 g/litre fludioxonil.

Warning.

Very toxic to aquatic life with long lasting effects.

Collect spillage.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for triple rinsed empty clean containers which can be disposed of as non-hazardous waste.



PCS No. 04226

Authorisation Holder	Marketing Company
Syngenta UK Limited CPC4, Capital Park, Cambridge CB21 5XE Tel: Cambridge +44 (0) 1223 883400	Syngenta Ireland Ltd Block 6, Cleaboy Business Park, Old Kilmeaden Road, Waterford, Ireland Tel: (051) 377203

In case of toxic or transport emergency ring +44 (0)1484 538444 any time

L1090626 IREL/07A PPE 4164578

PROTECT FROM FROST.
SHAKE WELL BEFORE USE.

5 litres

Product names marked ® or ™, the ALLIANCE FRAME
the SYNGENTA Logo and the PURPOSE ICON
are Trademarks of a Syngenta Group Company

MAXIM 100FS

ADDITIONAL SAFETY PRECAUTIONS

(a) Operator protection

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when handling the concentrate, contaminated surfaces or treated seed.
WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) when bagging treated seed.
WASH HANDS AND EXPOSED SKIN before meals and after work.

(b) Environmental protection

Do not contaminate water with product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

(c) Storage and disposal

EMPTY CONTAINER COMPLETELY and dispose of safely.
KEEP IN ORIGINAL CONTAINER tightly closed in a safe place.
RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.
DO NOT RE-USE CONTAINER for any purpose.

CONDITIONS OF USE

FOR USE ONLY AS AN AGRICULTURAL FUNGICIDE.

For use on potato seed tubers used to produce seed and ware crops

Maximum individual dose:	250 ml of product per tonne of tubers
Maximum number of treatments:	One per batch
Latest time of application:	Pre-planting

Other specific restrictions

Only apply to dormant tubers before planting.

Land should only be planted with MAXIM 100FS treated tubers once in every two years.



This leaflet is part of the approved Product Label.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be carefully read in order to obtain safe and successful use of this product.

DISEASES CONTROLLED

MAXIM 100 FS controls seed borne *Rhizoctonia solani* (stem canker / black scurf) in potatoes grown from treated seed tubers. Application of MAXIM 100 FS during storage and before planting will minimise the spread of disease from the seed tubers to the progeny grown from these tubers. Where treated seed tubers are planted into soils with a heavy soil inoculum the benefits of seed tuber treatment can be overwhelmed by the soil inoculum.

The application of MAXIM 100 FS to seed tubers during storage and pre-planting will control stem canker / black scurf (*Rhizoctonia solani*) in tubers grown from the treated seed.

MAXIM 100 FS has contact action against *Rhizoctonia solani*. To achieve the best activity against stem canker / black scurf (*Rhizoctonia solani*), good coverage of tubers must be achieved at application. At the time of application the crop should be clean and free of soil to maximise the effectiveness of the product. Only use MAXIM 100 FS on healthy vigorous seed tubers. Do not use on diseased or weak stocks. Ensure that good agricultural practice is carried out to minimise disease risk and to provide good conditions for crop growth after tuber planting.

RESISTANCE

To reduce the risk of resistant strains of fungi developing, MAXIM 100FS should be used as part of an overall management programme for disease control / reduction. MAXIM 100 FS should not be used repeatedly during the seed production cycle and treatment should be focused on seed crops used to produce ware or processed crops. There is no known resistance to fludioxonil in Irish populations of *Rhizoctonia solani*. Where resistance develops the efficacy of MAXIM 100 FS may be reduced.

CROP SPECIFIC INFORMATION

Timing

MAXIM 100 FS can be applied to potato seed tubers used for seed production as well as tubers used for ware and processing. MAXIM 100 FS can be applied to all varieties of potato. MAXIM 100 FS must be applied to seed tubers during the storage period and before chitting or planting. The tubers should be dormant at the time of application. To ensure the best results the tubers must be clean and free from soil at the time of application. The seed tubers should be vigorous and free from bacterial rots, viral infections or physical damage.

Rates of Use

MAXIM 100FS should be used at a rate of 250 ml of product per tonne of potato tubers. The product can be applied diluted with water and made up to 1.0 - 2.0 litres of solution per tonne of seed tubers.

MIXING AND SPRAYING

Before using MAXIM 100 FS the pack should be thoroughly shaken to ensure even dispersion of the product which may settle during storage.

MAXIM 100 FS should be applied using low volume hydraulic nozzles situated on a roller table. Seed tubers should only be treated by means which provide an accurate dose. The 250 ml of product should be made up to 1.0 - 2.0 litres with water and this volume applied per tonne of tubers using ultra

low volume hydraulic nozzles. At this rate tubers should be dampened, but not wet. Avoid over wetting tubers as this can cause the development of bacterial soft rots against which the product is not active.

Application is normally best achieved by using a roller table. An even flow of tubers needs to be maintained across the roller table during treatment. While in the treatment area on the roller table the seed tubers must have space to rotate 2 – 3 times to obtain good tuber coverage with the product. Application machinery must be shielded to prevent spray drift.

Care should be taken to ensure that MAXIM 100 FS is not over or under applied and that tubers are not carrying excessive quantities of soil. Where crops are dirty at application effectiveness, may be reduced.

When diluted with water the solution should be agitated in order to maintain an even dispersion, agitation should continue even when treatment of tubers is not in operation. Mix only sufficient MAXIM 100 FS for immediate use.

For further information on product application contact your distributor or Syngenta Ireland Ltd.

Applicator Maintenance

To ensure high standards of application the spray equipment should be regularly cleaned and maintained. Clean spray nozzles and spray lines at the end of each day. Do not leave product in application equipment for prolonged periods e.g. overnight.

COMPATIBILITY

Please consult Syngenta Ireland Ltd for advice on mixture products.

SEED BAG LABEL TEXT

This seed has been treated with MAXIM 100 FS.

MAXIM 100 FS contains fludioxonil which is active against Rhizoctonia. MAXIM 100 FS is for the control of stem canker / black scurf (*Rhizoctonia solani*) in the daughter tubers grown from treated seed.

PCS No. 04226

SAFETY PRECAUTIONS

WEAR SUITABLE PROTECTIVE GLOVES when handling treated seed.

DO NOT HANDLE seed unnecessarily.

DO NOT USE TREATED SEED as food or feed.

KEEP TREATED SEED SECURE from people, domestic stock/pets and wildlife at all times during storage and use.

DO NOT RE-USE SACKS OR CONTAINERS THAT HAVE BEEN USED FOR TREATED SEED for food or feed.

WASH HANDS AND EXPOSED SKIN before meals and after work.

Only use automated equipment for planting treated seed potatoes.

NOTES

1. Safe handling of treated seed tubers

Avoid skin contact with treated seed and dust during all handling and planting operations. Launder coveralls daily.

2. Seed storage

After treatment dry off treated seed tubers to minimise the risk of bacterial soft rots developing in store.

3. Planting

Seed tubers may be chitted before planting or planted from cold store. Avoid planting in cold wet seed beds as this can delay crop emergence.

Syngenta Ireland Ltd
Block 6, Cleaboy Business Park,
Old Kilmeaden Road, Waterford, Ireland
Tel: (051) 377203

MAXIM 100 FS is a flowable concentrate for seed treatment containing 100 g/litre fludioxonil.

For the control of seed borne *Rhizoctonia solani* (stem canker / black scurf) in potatoes grown from treated seed tubers.

FOR PROFESSIONAL USE ONLY

To avoid risks to human health and the environment, comply with the instructions for use.

MAXIM 100 FS is a flowable concentrate for seed treatment containing 100 g/litre fludioxonil.

TEXT AREA
98 x 130 mm



Warning.

Very toxic to aquatic life with long lasting effects.

Collect spillage.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for triple rinsed empty clean containers which can be disposed of as non-hazardous waste.

PCS No . 04226

Authorisation Holder	Marketing Company
Syngenta UK Limited CPC4, Capital Park, Cambridge CB21 5XE Tel: Cambridge +44 (0) 1223 883400	Syngenta Ireland Ltd Block 6, Cleaboy Business Park, Old Kilmeaden Road, Waterford, Ireland Tel: (051) 377203

In case of toxic or transport emergency ring +44 (0)1484 538444 any time.

PROTECT FROM FROST.
SHAKE WELL BEFORE USE.

ADDITIONAL PRODUCT SAFETY INFORMATION

This section does not form part of the approved product label.

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product Identifier

Product Name: MAXIM 100FS
Design Code: A8348G

1.2 Relevant Identified Uses of the substance or mixture and uses advised against

Use: Fungicide Seed Treatment

1.3 Details of the supplier of the safety data sheet

Company: Syngenta UK Ltd
CPC4, Capital Park, Fulbourn, Cambridge, CB21 5XE
Phone: (01223) 883400
Fax: (01223) 882195
Website: www.syngenta.co.uk

1.4 Emergency telephone number

Emergency phone No.: +44 (0) 1484 538444 (24h)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EU) 1272/2008

Acute aquatic toxicity	Category 1	H400
Chronic aquatic toxicity	Category 2	H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

N Dangerous to the environment

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

TEXT AREA
98 x 130 mm

2.2 Label elements

Labelling: Regulation (EC) No. 1272/2008

Hazard pictograms



Signal Word

Warning

Hazard Statements

H410

Very toxic to aquatic life with long lasting effects.

Precautions Statements

P391

Collect spillage.

P501

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for triple rinsed empty clean containers which can be disposed of as non-hazardous waste.


Supplemental Information

EUH401

To avoid risks to human health and the environment comply with the instructions for use.

Hazardous components which must be listed on the label:

Labelling: EU Directives 67/548/EEC or 1999/45/EC

Symbol(s)	 DANGEROUS FOR THE ENVIRONMENT
R-phrases(s)	R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrases(s)	S2 Keep out of reach of children. S13 Keep away from food, drink and animal feedstuffs. S20/21 When using do not eat, drink or smoke. S35 This material and its container must be disposed of in a safe way. S57 Use appropriate containment to avoid environmental contamination.
Special labelling of certain mixtures	To avoid risks to man and the environment, comply with instructions for use.

Hazardous components which must be listed on the label:

2.3 Other hazards

None known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous Component(s)

Chemical Name	CAS No. EC No. Registration Number	Classification (67/548/EEC)	Classification (REGULATION (EC) No. 1272/2008)	Concentration
fludioxonil	131341-86-1	N, R50/53	Aquatic Acute1; H400 Aquatic Chronic1; H410	9.3 % w/w
poly(oxy-1,2-ethanediy), alpha-[tris (1-phenyl ethyl)-omega-hydroxy-	99734-09-5 70559-25-0	R52/53	Aquatic Chronic3; H412	1 – 5 % w/w
propane-1,2-diol	57-55-6 200-338-0	-	-	5 – 10 % w/w

Substances for which there are Community workplace exposure limits

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-statements mentioned in this Section, see Section 16.

4. FIRST-AID MEASURES

4.1 Description of first aid measures

General Advice: Have the product container, label or Material Safety Data Sheet with you when calling the Syngenta emergency number, a poison control centre or physician, or going for treatment.

Inhalation: Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or Poison Control Centre immediately.

Skin Contact: Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

Ingestion: If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Medical advice: There is no specific antidote available. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media - large fires

Use alcohol-resistant foam or water spray.

Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.

5.3 Advice for fire-fighters

Wear full protective clothing and self-contained breathing apparatus.
Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). If the product contaminates rivers and lakes or drains inform respective authorities.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8
Refer to disposal considerations listed in section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

No special protective measures against fire required.

Avoid contact with skin and eyes.

When using, do not eat, drink or smoke.

For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feeding stuffs.

7.3 Specific end uses

Registered Crop Protection products: For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	Exposure limit(s)	Type of exposure limit	Source
fludioxonil	10 mg/m ³	8 h TWA	SYNGENTA
propane-1,2-diol	10 mg/m ³ (particulates) 150 ppm, 470 mg/m ³ (Total(vapour and particulates))	8 h TWA 8 h TWA	UK HSE UK HSE

The following recommendations for exposure controls/personal protection are intended for the manufacture, formulation and packaging of the product.

8.2 Exposure controls

Engineering Measures: Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. If airborne mist or vapours are generated, use local exhaust ventilation controls.

Assess exposure and use any additional measures to keep airborne levels below any relevant exposure limit. Where necessary, seek additional occupational hygiene advice.

Protective measures: The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice. Personal protective equipment should be certified to appropriate standards.

Respiratory protection: No personal respiratory protective equipment normally required. A particulate filter respirator may be necessary until effective technical measures are installed.

Hand protection: Chemical resistant gloves are not usually required. Select gloves based on the physical job requirements.

Eye Protection: Eye protection is not usually required. Follow any site specific eye protection policies.

Skin and body protection: No special protective equipment required. Select skin and body protection based on the physical job requirements.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical State:	Liquid
Form:	Suspension
Colour:	Light red to dark red
Odour:	Characteristic
Odour Threshold:	No data available.
pH:	7.5 - 9.5 at 100 % w/w 6 - 10 at 1 % w/v
Melting point/range:	No data available
Boiling point/boiling range:	No data available
Flash point:	>99 °C at 100.1 kPa Pensky-Martens c.c.
Evaporation rate:	No data available
Flammability (solid, gas):	No data available
Lower explosion limit:	No data available
Upper explosion limit:	No data available
Vapour pressure:	No data available
Relative vapour density:	No data available
Density:	1.077 g/ml at 20 °C
Solubility in other solvents:	No data available
Partition Coefficient n-octanol/water:	No data available
Autoignition temperature:	No data available
Thermal decomposition:	No data available
Viscosity, dynamic:	59.3 - 441 mPa.s at 20 °C 45.5 - 343 mPa.s at 40 °C
Viscosity, kinematic:	No data available
Explosive properties:	Not explosive
Oxidizing properties:	Not oxidising

9.2 Other Information

Miscibility:	Miscible
Surface tension:	28.5 mN/m at 20 °C

10. STABILITY AND REACTIVITY

10.1 Reactivity: No information available

10.2 Chemical Stability: No information available

10.3 Possibility of hazardous reactions: None known. Hazardous polymerisation does not occur.

10.4 Conditions to avoid: No information available

10.5 Incompatible materials: No information available

10.6 Hazardous decomposition products: Combustion or thermal decomposition will evolve toxic and irritant vapours.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity: Median lethal dose rat, > 2,000 mg/kg

Acute inhalational toxicity: Median lethal concentration rat, > 4.37 mg/l, 4 h
LC50 not attained.

Acute dermal toxicity: LD50 rat, > 2,000 mg/kg

Skin corrosion/irritation: Rabbit: non-irritating

Serious eye damage/eye irritation: Rabbit: non-irritating

Respiratory or skin sensitisation: Buehler test guinea pig, not a skin sensitiser.

Germ cell mutagenicity

fludioxonil: Did not show mutagenic effects in animal experiments.

Carcinogenicity

fludioxonil: Did not show carcinogenic effects in animal experiments.

Reproductive toxicity

fludioxonil: Did not show reproductive effects in animal experiments.

STOT – repeated exposure

fludioxonil: No adverse effect has been observed in chronic toxicity tests.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish: LC50 *Oncorhynchus mykiss* (rainbow trout), 6.2 mg/l, 96h

Toxicity to aquatic invertebrates: EC50 *Daphnia magna* Straus, 10 mg/l, 48h

Toxicity to aquatic plants: EbC50 *Pseudokirchneriella subcapitata* (green algae), 2.1 mg/l, 72h
ErC50 *Pseudokirchneriella subcapitata* (green algae), 10 mg/l, 72h.

12.2 Persistence and degradability

Biodegradability: Not readily biodegradable

Stability in water

fludioxonil: Degradation half life: 450 - 700 d
Stable in water

Stability in soil

fludioxonil: Degradation half life: 14 d
Not persistent in soil

12.3 Bioaccumulative potential

fludioxonil: Does not bioaccumulate.

12.4 Mobility in soil

fludioxonil: Immobile in soil.

12.5 Results of PBT and vPvB assessment

fludioxonil: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).
This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

12.6 Other adverse effects

Classification of the product is based on the summation of the concentrations of classified components.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product: Do not contaminate ponds, waterways or ditches with chemical or used container.

Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration.

If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging: Empty remaining contents. Triple rinse containers. Empty containers should be taken for local recycling or waste disposal. Do not re-use empty containers.

14. TRANSPORT INFORMATION

Land transport (ADR/RID)	
14.1 UN Number	UN 3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUDIOXONIL)
14.3 Transport hazard class(es)	9
14.4 Packing Group	III
Labels	9
14.5 Environmental hazards	Environmentally hazardous

Sea transport (IMDG)	
14.1 UN Number	UN 3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUDIOXONIL)
14.3 Transport hazard class(es)	9
14.4 Packing Group	III
Labels	9
14.5 Environmental hazards	Marine Pollutant

Air transport (IATA-DGR)	
14.1 UN Number	UN 3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUDIOXONIL)
14.3 Transport hazard class(es)	9
14.4 Packing Group	III
Labels	9

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture GHS-Labeling

Hazard pictograms



Signal Word Warning

Hazard Statements H410 Very toxic to aquatic life with long lasting effects.

Precautions Statements P391 Collect spillage.
 P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for triple rinsed empty clean containers which can be disposed of as non-hazardous waste.

Supplemental Information EUH401 To avoid risks to human health and the environment comply with the instructions for use.

Hazardous components which must be listed on the label:

15.2 Chemical Safety Assessment

A chemical safety assessment is not required for this substance.

16. OTHER INFORMATION

Approval number, PCS No. 04226.

Use plant protection products safely. Always read the label and product information before use.

Based upon SDS release dated 26/08/2013, version 3 with local amendment.

Full text of R phrases referred to under Section 2 and 3:

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Full text of H-statements referred to under sections 2 and 3:

H400 Very toxic to aquatic life
H410 Very toxic to aquatic life with long lasting effects
H412 Harmful to aquatic life with long lasting effects

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and

may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Product names are a trademark or registered trademark of a Syngenta Group Company.

TEXT AREA
98 x 130 mm



TEXT AREA
98 x 130 mm

MAXIM 100FS

ADDITIONAL SAFETY PRECAUTIONS

(a) Operator protection

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when handling the concentrate, contaminated surfaces or treated seed.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) when bagging treated seed.

WASH HANDS AND EXPOSED SKIN before meals and after work.

(b) Environmental protection

Do not contaminate water with product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

(c) Storage and disposal

EMPTY CONTAINER COMPLETELY and dispose of safely.

KEEP IN ORIGINAL CONTAINER tightly closed in a safe place.

RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.

DO NOT RE-USE CONTAINER for any purpose.

CONDITIONS OF USE

FOR USE ONLY AS AN AGRICULTURAL FUNGICIDE.

For use on potato seed tubers used to produce seed and ware crops

Maximum individual dose: 250 ml of product per tonne of tubers

Maximum number of treatments: One per batch

Latest time of application: Pre-planting

Other specific restrictions

Only apply to dormant tubers before planting.

Land should only be planted with MAXIM 100FS treated tubers once in every two years.



NO TEXT HERE
GLUE PAGE
97 x 134 mm