

AXIAL PRO TANK MIX LIST

GUIDANCE FOR TANK MIXING AND SEQUENCING WITH HORMONE HERBICIDES

- DO NOT mix AXIAL Pro with products containing 2-4,D, MCPA or mecoprop.
- These hormone herbicides may be used in sequence with AXIAL Pro, observing the following intervals:
 - When AXIAL Pro is applied first, leave a minimum of 7 days before applying hormone herbicides
 - If hormone-containing products are applied first, leave 21 days before AXIAL Pro is applied
- Halauxifen (Arylex), fluroxypyr or clopyralid products may be tank mixed with AXIAL Pro when AXIAL Pro is used at the **full label dose rate** for the target weed (refer to label).
- DO NOT MIX AXIAL Pro with Halauxifen (Arylex), fluroxypyr or clopyralid products when targeting black-grass in barley.
- When targeting wild oats or ryegrass using supported doses of AXIAL Pro, then Halauxifen (Arylex), fluroxypyr or clopyralid products may be sequenced with AXIAL Pro observing the same intervals indicated above.

GUIDANCE FOR TANK MIXING AND SEQUENCING WITH SULFONYL-UREAS AND OTHER ALS INHIBITOR HERBICIDES

- Tank mixes with some broad-leaved weed specific sulfonyl-urea/ALS inhibitor herbicides can reduce grass weed control, particularly if AXIAL Pro is applied at reduced rates.
- Only sulfonyl-urea/ALS inhibitor herbicides listed below may be tank mixed with AXIAL Pro.
- DO NOT MIX AXIAL Pro with SU's/ALS inhibitors when targeting black-grass in barley.
- Sulfonyl-urea/ALS inhibitor herbicides should only be tank mixed with AXIAL Pro when AXIAL Pro is used at the **full label dose rate** for the target weed (refer to label).
- When targeting wild oats or ryegrass using supported rates of AXIAL Pro, in sequence with SUs/ALS inhibitors, observe the intervals indicated above for hormone herbicides.

The following tank mixes have been tested for physical compatibility with AXIAL PRO at recommended rates of use and will mix in the sprayer tank. Syngenta IRL Ltd will support 2 or 3-way tank mixes of AXIAL PRO with any of the fungicides, herbicides, insecticides, PGR's or adjuvants listed. All other products listed have not been tested for crop safety or product performance, therefore use is at the user's own risk.

FUNGICIDES

| | | |
|----------------------------|---------------------------|--------------------------|
| AMISTAR | Fandango ¹ | PLEXEO |
| Arizona | Folicur | Proline 275 |
| Ascra Xpro | Helix | Prosaro |
| Aviator Xpro | Inception Xpro | Protefin |
| Caramba | KAVATUR PLUS ¹ | Revystar XL ⁴ |
| CERATAVO PLUS ¹ | KAYAK | Siltra Xpro |
| Comet 200 | Librax | Talius ¹ |
| ELATUS ERA | MIRROR | VELOGY ERA ¹ |
| ELATUS PLUS ¹ | Phoenix | Zephyr |

HERBICIDES

| | | |
|--------------------------|-----------------|------------|
| Ally Max SX ² | Pixxaro | Stomp Aqua |
| DEFY ¹ | Ponton | Sunfire |
| Ergon ³ | Presite SX | Whorl |
| Harmony M SX | Spitfire | Xerton |
| Hiatus ³ | Starane Hi-Load | Zypar |

INSECTICIDES

KARATE ZEON

Decis Protech

PGR'sCanopy
CeroneMedax Max
MODDUSMODDUS + chlormequat
Terpal**ADJUVANTS**

If AXIAL PRO is applied at the reduced rate of 0.4 l/ha, an adjuvant should be added for optimum results. Syngenta will support the use of the adjuvants listed.

ADIGOR
NelsonPhase II
Toil

Zarado

Syngenta have not tested any other adjuvants, however, the use of other MSO's not included in the list above will be supported.

TRACE ELEMENTS

Syngenta IRL Ltd will support the tank mixing of any of the named trace elements with an existing 2 or 3-way tank mix including AXIAL PRO. Syngenta IRL Ltd advise that the trace element part of the tank mix is added to the sprayer tank last with constant agitation and the mixture is sprayed without delay.

Bittersalz
Headland Boron 15
Headland Copper
Headland Manganese 15%Headland Zinc 700¹
Yara Vita Bortrac 150
Yara Vita Coptrel 500
Yara Vita Croplift ProYara Vita Mancozin
Yara Vita Mancuflo**NOTES**

Before using any tank mixture, consult and comply with the recommendations of the partner products. Each product should be added separately to the bulk of the water in the spray tank and thoroughly mixed before adding the next chemical. Always use constant agitation of the sprayer tank during mixing, transportation and application. Spray immediately.

¹ Continuous agitation required.

² Ally Max SX = can read across to all FMC SUs.

³ Tested and supported by Rotam.

⁴ Tested and supported by BASF.

The following 3-way tank mix have been tested and is physically compatible:
AXIAL PRO + Inception Xpro + Zephyr

LERAP: None

Rainfastness: 1 hour

27 February 2023

**Use plant protection products safely. Always read the label
and product information before use.**

©Syngenta AG, February 2023



For further information contact us on 0800 169 6058

e-mail: product.technical_enquiries@syngenta.com

Syngenta UK Ltd, Fulbourn, Cambridge CB21 5XE.

Tel: (01223) 884300. Fax: (01223) 281245. Website: <http://www.syngenta.co.uk>